

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1750	385/89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:39
L2	3065	385/88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:39
L3	2634	385/147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:39
L4	3581	385/31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:39
L5	4379	385/14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:39
L6	1135	385/28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:39
L7	1100	385/52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:40
L8	1191	385/76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:40
L9	774	385/90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:40
L10	585	385/91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:40

L11	2140	385/92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:40
L12	883	385/126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:40
L13	1727	385/130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:40
L14	1247	385/132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:40
L15	707390	385/88 or 385/89 or 385/31 or 385/14 or 385/28 or 385/52 or 385/76 of 385/90 of 385/91 or 385/92 or 385/126 or 385/130 or 385/132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:40
L16	707390	L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:40
L17	18	((((385/88 or 385/89 or 385/31 or 385/14 or 385/28 or 385/52 or 385/76 of 385/90 of 385/91 or 385/92 or 385/126 or 385/130 or 385/132) and mold\$3) and hole and (optic\$3 near3 fiber) and plug) and cube	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:42
L18	18	17 and mold\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:42
S1	1209	385/89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:39
S2	176	(mount or (mount near\$3 (device or apparatus or assembly))) and (molded near3 body) and (electronic near4 (part or element)) and interconnect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 10:38

S3	12	((mount or (mount near\$3 (device or apparatus or assembly))) and (molded near3 body) and (electronic near4 (part or element)) and interconnect\$5) and rectang\$5 and (recess or cavity) and (optic\$3 near3 fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 10:49
S4	0	"20010051029".URPN.	USPAT	OR	ON	2002/12/03 10:23
S5	31718	murata.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 10:24
S6	446	murata.in. and akihiro	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 10:28
S7	1	(murata.in. and akihiro) and ((mount or (mount near\$3 (device or apparatus or assembly))) and (molded near3 body) and (electronic near4 (part or element)) and interconnect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 10:29
S8	219	(murata.in. and akihiro) and (mount or (mount near\$3 (device or apparatus or assembly)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 10:29
S9	1	((murata.in. and akihiro) and (mount or (mount near\$3 (device or apparatus or assembly)))) and (molded near3 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 10:38
S10	3	((murata.in. and akihiro) and (mount or (mount near\$3 (device or apparatus or assembly)))) and (electronic near4 (part or element)) and interconnect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 10:40
S11	385	385/89 and mold\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 12:34
S12	227	(385/89 and mold\$3) and (recess or cavity) and (optic\$3 near3 fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 12:39
S13	69	((385/89 and mold\$3) and (recess or cavity) and (optic\$3 near3 fiber)) and hole and (conduct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 12:36

S14	1	"4186995".PN.	USPAT	OR	OFF	2002/12/03 12:26
S15	178	385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 14:33
S16	107	(385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and (recess or cavity) and (optic\$3 near3 fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 12:36
S17	52	((385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and (recess or cavity) and (optic\$3 near3 fiber)) and (interconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 12:40
S18	76	(385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near3 fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 14:43
S19	38	((385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near3 fiber)) and (interconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 12:41
S20	2331	385/88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 14:33
S21	2263	385/147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 14:33
S22	4693	385/89 or 385/88 or 385/147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/04 08:40
S23	429	(385/89 or 385/88 or 385/147) and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/03 14:34

S24	150	((385/89 or 385/88 or 385/147) and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near3 fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/04 08:01
S25	150	((385/89 or 385/88 or 385/147) and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near3 fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/04 08:41
S26	66	((385/89 or 385/88 or 385/147) and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near3 fiber) and interconnect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/04 08:06
S27	58	((385/89 or 385/88 or 385/147) and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near3 fiber) and interconnect\$4) and mount\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/04 08:27
S28	4693	385/89 or 385/88 or 385/147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/04 08:40
S29	11	(385/89 or 385/88 or 385/147) and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector)) and ((bonding near4 pad) near8 interconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/04 08:44
S30	2833	385/88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:31
S31	1543	385/89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:31

S32	3158	385/31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:31
S33	5259	385/14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:31
S34	1161	385/28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:31
S35	1057	385/52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:31
S36	1217	385/76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:31
S37	705	385/90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:31
S38	561	385/91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:31
S39	1876	385/92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:31
S40	947	385/126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:31
S41	1897	385/130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:31

S42	1261	385/132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:31
S43	632131	385/88 or 385/89 or 385/31 or 385/14 or 385/28 or 385/52 or 385/76 of 385/90 of 385/91 or 385/92 or 385/126 or 385/130 or 385/132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:40
S44	18520	(385/88 or 385/89 or 385/31 or 385/14 or 385/28 or 385/52 or 385/76 of 385/90 of 385/91 or 385/92 or 385/126 or 385/130 or 385/132) and mold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:32
S45	25680	(385/88 or 385/89 or 385/31 or 385/14 or 385/28 or 385/52 or 385/76 of 385/90 of 385/91 or 385/92 or 385/126 or 385/130 or 385/132) and mold\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:32
S46	414	((385/88 or 385/89 or 385/31 or 385/14 or 385/28 or 385/52 or 385/76 of 385/90 of 385/91 or 385/92 or 385/126 or 385/130 or 385/132) and mold\$3) and hole and (optic\$3 near3 fiber) and plug	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/06 12:52
S47	15	((((385/88 or 385/89 or 385/31 or 385/14 or 385/28 or 385/52 or 385/76 of 385/90 of 385/91 or 385/92 or 385/126 or 385/130 or 385/132) and mold\$3) and hole and (optic\$3 near3 fiber) and plug) and cube	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 10:41